ELSEVIER

Neuroscience Letters 288 (2000) 253–255

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 288

Volume 288, no. 1

Guidelines for the submission of manuscripts v

Antiamnesic effect of metoprine and of selective histamine H_1 receptor agonists in a modified mouse passive avoidance test
P. Malmberg-Aiello, A. Ipponi, A. Bartolini, W. Schunack (Italy, Germany) 1

Reorganization of adult rat barrel cortex intrinsic signals following kainic acid induced central lesion
T.T. Nguyen, T. Yamamoto, R.T. Stevens, C.J. Hodge Jr. (USA) 5

Similar levels of long-term potentiation in amyloid precursor protein -null and wild-type mice in the CA1 region of picrotoxin treated slices
S.M. Fitzjohn, R.A. Morton, F. Kuenzi, C.H. Davies, G.R. Seabrook, G.L. Collingridge (UK) 9

Classical conditioning of oxidative DNA damage in rats
M. Irie, S. Asami, S. Nagata, M. Miyata, H. Kasai (Japan) 13

Effects of ambient light on body temperature regulation in resting and exercising rats
H. Hasegawa, T. Yazawa, H. Tanaka, M. Yasumatsu, M. Otokawa, Y. Aihara (Japan) 17

Genetic polymorphisms in the cathespin D and interleukin-6 genes and the risk of Alzheimer's disease
T.J. Bhojak, S.T. DeKosky, M. Ganguli, M.I. Kamboh (USA) 21

Temporal profile of cerebrospinal fluid glutamate, interleukin-6, and tumor necrosis factor-α in relation to brain edema and contusion following controlled cortical impact injury in rats
J.F. Stover, B. Schöning, T.F. Beyer, C. Woiciechowsky, A.W. Unterberg (Germany) 25

Immunocytochemical evidence for a progesterone receptor in neurons and glial cells of the rat spinal cord
F. Labombarda, R. Guennoun, S. Gonzalez, P. Roig, A. Lima, M. Schumacher, A.F. De Nicola (France) 29

Activity of neurons in the nucleus of the solitary tract of rats: effect of osmotic and mechanical stimuli
S. Izawa, K. Inoue, A. Adachi, M. Funahashi (Japan) 33

Induction of rat L-phosphoserine phosphatase by amyloid-β (1–42) is inhibited by interleukin-11
K. Heese, Y. Nagai, T. Sawada (Japan) 37

Oral administration of the anti-inflammatory substance triflusal results in the downregulation of constitutive transcription factor NF-κB in the postnatal rat brain
L. Acarin, B. González, B. Castellano (Spain) 41

Decreased nuclear factor-κB DNA binding activity following permanent focal cerebral ischaemia in the rat
E.A. Irving, S.J. Hadingham, J. Roberts, M. Gibbons, M. Chabot-Fletcher, A. Roshak, A.A. Parsons (USA) 45

Biological effects of tiagabine on primary cortical astrocyte cultures of rat
V. Cardile, A. Pavone, M. Renis, A. Russo, V. Perciavalle (Italy) 49

Astrocytes in culture express the full-length Trk-B receptor and respond to brain derived neurotrophic factor by changing intracellular calcium levels: effect of ethanol exposure in rats
E. Climent, M. Sancho-Tello, R. Miñana, D. Barettino, C. Guerri (Spain) 53

The cAMP-dependent kinase pathway does not sensitize the cloned vanilloid receptor type 1 expressed in *Xenopus* oocytes or *Aplysia* neurons
Y.-S. Lee, J.-A. Lee, J. Jung, U. Oh, B.-K. Kaang (South Korea) 57

The effect of intravenous insulin on accumulation of excitotoxic and other amino acids in the ischemic rat cerebral cortex
L.L. Guyot, F.G. Diaz, M.H. O'Regan, J. Ren, J.W. Phillis (USA) 61

Reduced expression of insulin-like growth factor 1 messenger RNA in the hippocampus of aged rats
M. Lai, C.J. Hibberd, P.D. Gluckman, J.R. Seckl (New Zealand) 66

Neuroprotection of nerve growth factor-loaded microspheres on the D2 dopaminergic receptor positive-striatal neurones in quinolinic acid-lesioned rats: a quantitative autoradiographic assessment with iodobenzamide
C. Gouhier, S. Chalon, M.-C. Venier-Julienne, S. Bodard, J.-P. Benoit, J.-C. Besnard, D. Guilloteau (France) 71

Dual effects of dextromethorphan on cocaine-induced conditioned place preference in mice
W.-K. Jhoo, E.-J. Shin, Y.-H. Lee, M.-A. Cheon, K.-W. Oh, S.-Y. Kang, C. Lee, B.-C. Yi, H.-C. Kim (South Korea) 76

The promoter of human acetylcholinesterase is activated by a cyclic adenosine 3′,5′-monophosphate-dependent pathway in cultured NG108–15 neuroblastoma cells
D.C.C. Wan, R.C.Y. Choi, N.L. Siow, K.W.K. Tsim (China) 81

Volume 288, no. 2

Distribution of orexin-A and orexin-B (hypocretins) in the rat spinal cord
Y. Date, M.S. Mondal, S. Matsukura, M. Nakazato (Japan) 87
Effects of cholinergic agents on spontaneous activity of nucleus basalis magnocellularis neurons in different age rats
Y.-Q. Zhang, Y.-P. Ji, J. Mei (China) 91
Protection against ischemic injury in primary cultured astrocytes of mouse cerebral cortex by *bis*(7)-tacrine, a novel anti-Alzheimer's agent
Y.-F. Han, D.-C. Wu, X.-Q. Xiao, P.M.Y. Chen, W. Chung, N.T.K. Lee, Y.-P. Pang, P.R. Carlier (China, USA) 95
Different increase in C-fibre evoked responses after nociceptive conditioning stimulation in sham-operated and neuropathic rats
L.J. Rygh, V.K. Kontinen, R. Suzuki, A.H. Dickenson (UK, Norway) 99
Decrease of endothelial nitric oxide synthase in stroke-prone spontaneously hypertensive rat cerebral cortex
S. Kimoto-Kinoshita, S. Nishida, T.T. Tomura (Japan) 103
Nitric oxide mediated induction of cytochrome *c* oxidase mRNA and protein in a mouse macrophage cell line
J.E. Lehrer-Graiwer, B.L. Firestein, D.S. Bredt (USA) 107
Proprioceptive evoked potentials in man: cerebral responses to changing weight loads on the hand
S. Arnfred, A.C.N. Chen, D. Eder, B. Glenthøj, R. Hemmingsen (Denmark, Sweden) 111
Expression of estrogen receptor-beta protein and mRNA in the cerebellum of the rat
R.H. Price Jr., R.J. Handa (USA) 115
SB203580, the p38 mitogen-activated protein kinase inhibitor blocks the inhibitory effect of β-amyloid on long-term potentiation in the rat hippocampus
G. Saleshando, J.J. O'Connor (Ireland) 119
Peripheral modulation of rat knee joint afferent mechanosensitivity by nociceptin/orphanin FQ
J.J. McDougall, M. Pawlak, U. Hanesch, R.F. Schmidt (Canada, Germany) 123
The relative contribution to the plantar-flexor torque of the soleus motor units activated by the H reflex and M response in humans
N.A. Maffiuletti, A. Martin, J. Van Hoecke, M. Schieppati (France, Italy) 127
Postnatal development of central nociceptive mechanisms modulating jaw muscle activity in the rat
K. Seo, G. Someya (Japan) 131
I_2-Imidazoline receptors and monoamine oxidase B enzyme sites in human brain: covariation with age
J. Ballesteros, A.I. Maeztu, L.F. Callado, M. Gutiérrez, J.A. García-Sevilla, J.J. Meana (Spain) 135
Effects of *N*-methyl-D-aspartate receptor subunit antagonists on regulation of susceptibility to audiogenic seizures in rats
N. Hironaka, H. Niki (Japan) 139
Cellular distribution of isozymes of protein kinase C in septal olfactory epithelium of mice
W.S. Kang, W.K. Lee, M.-S. Seo, J.K. Kim, J.W. Han, Y.W. Moon, K.-K. Cho, M.J. Kim, K.-H. Lee, Y.-S. Kim, Y.-H. Jo, C.R. Choi (South Korea) 143
Role of signals from the dorsal root ganglion in neuropathic pain in a rat model
H.S. Na, K.H. Ko, S.K. Back, B. Sung, D.J. Yoo, S.K. Hong (South Korea) 147
Different roles of neuronal and endothelial nitric oxide synthases on ischemic nitric oxide production in gerbil striatum
N. Adachi, B. Lei, M. Soutani, T. Arai (Japan) 151
Enoxaparin, a low molecular weight heparin decreases infarct size and improves sensorimotor function in a rat model of focal cerebral ischemia
D. Quartermain, Y.-s. Li, S. Jonas (USA) 155
Noxious hot and cold stimulation produce common patterns of brain activation in humans: a functional magnetic resonance imaging study
I. Tracey, L. Becerra, I. Chang, H. Breiter, L. Jenkins, D. Borsook, R.G. González (UK, USA) 159
Neuroprotection by MAPK/ERK kinase inhibition with U0126 against oxidative stress in a mouse neuronal cell line and rat primary cultured cortical neurons
T. Satoh, D. Nakatsuka, Y. Watanabe, I. Nagata, H. Kikuchi, S. Namura (Japan) 163

Volume 288, no. 3

Apoptotic cell death of cerebellar granule neurons in genetically ataxia (*ax*) mice
M. Ohgoh, K. Yamazaki, H. Ogura, Y. Nishizawa, I. Tanaka (Japan) 167

Intracortical excitatory and inhibitory phenomena to paired transcranial magnetic stimulation in healthy human subjects: differences between the right and left hemisphere
P. Cicinelli, R. Traversa, M. Oliveri, M.G. Palmieri, M.M. Filippi, P. Pasqualetti, P.M. Rossini (Italy) 171

Presence of γ-aminobutyric acid transporter mRNA in interneurons and principal cells of rat hippocampus
C. Frahm, D. Engel, A. Piechotta, U. Heinemann, A. Draguhn (Germany) 175

Analyses of Gerstmann–Straussler syndrome with 102Leu219Lys using monoclonal antibodies that specifically detect human prion protein with 219Glu
T. Muramoto, T. Tanaka, N. Kitamoto, C. Sano, Y. Hayashi, T. Kutomi, C. Yutani, T. Kitamoto (Japan) 179

The medullary cerebrovascular vasodilator area mediates cerebrovascular vasodilation and electroencephalogram synchronization elicited from cerebellar fastigial nucleus in Sprague–Dawley rats
E.V. Golanov, J.R.C. Christensen, D.J. Reis (USA) 183

γ-Aminobutyric acid- and glycine-immunoreactive neurons postsynaptic to substance P-immunoreactive axon terminals in the superficial layers of the rat medullary dorsal horn
D. Wang, Y.-Q. Li, J.-L. Li, T. Kaneko, S. Nomura, N. Mizuno (China, Japan) 187

Inhibition of vitamin B12 metabolism by OH-cobalamin c-lactam in rat oligodendrocytes in culture: a model for studying neuropathy due to vitamin B12 deficiency
I.E. Sponne, D. Gaire, S.P. Stabler, S. Droesch, F.M. Barbé, R.H. Allen, D.A. Lambert, J.-P. Nicolas (France, USA) 191

Age-related changes of neuronal counts in the human pedunculopontine nucleus
G. Ransmayr, B. Faucheux, C. Nowakowski, N. Kubis, S. Federspiel, W. Kaufmann, D. Henin, J.-J. Hauw, Y. Agid, E.C. Hirsch (Austria, France) 195

Loose ligation of the rat sciatic nerve is accompanied by changes in the subcellular content of protein kinase C beta II and gamma in the spinal dorsal horn
V. Miletic, K.K. Bowen, G. Miletic (USA) 199

Effects of sodium azide on the secretion of soluble amyloid-β precursor protein and the accumulation of β-amyloid (1–40) in cultured chick neurons
H.L.M. Hedin, C.J. Fowler (Sweden) 203

Characterization of ZFOR1, a putative delta-opioid receptor from the teleost zebrafish (*Danio rerio*)
R.E. Rodriguez, A. Barrallo, F. Garcia-Malvar, I.J. McFadyen, R. Gonzalez-Sarmiento, J.R. Traynor (Spain, USA) 207

Phospholipase A_2 activity is decreased selectively in the hippocampus of aged apolipoprotein E deficient mice
C.B. Patrick, P. Krzywkowski, C. Ramassamy, J. Poirier, S.I. Rapoport, E.J. Murphy (USA, Canada) 211

Resection of sciatic nerve re-triggers central sprouting of A-fibre primary afferents in the rat
Q.-P. Ma, L. Tian, C.J. Woolf (UK, China, USA) 215

Morphological distinction between vasodilator and secretomotor neurons in the pterygopalatine ganglion of the cat
S. Kuchiiwa, S.-B. Cheng, T. Kuchiiwa (Japan) 220

Developmental increase in ^{3}H-muscimol binding to the γ-aminobutyric $acid_A$ receptor in hypothalamic and limbic areas of the rat: why is the ventromedial nucleus of the hypothalamus an exception?
A.M. Davis, M.M. McCarthy (USA) 223

Lipopolysaccharide increases arginine-vasopressin release from rat suprachiasmatic nucleus slice cultures
F. Nava, G. Carta, L.W. Haynes (Italy, UK) 228

Guanethidine evokes vasodilatation in guinea pig mesenteric artery by acting on sensory nerves
Z.L. Zheng, K. Shimamura, T.L. Anthony, D.L. Kreulen (USA) 231

Clozapine downregulates 5-hydroxytryptamine$_6$ (5-HT_6) and upregulates 5-HT_7 receptors in HeLa cells
N.L. Zhukovskaya, J.F. Neumaier (USA) 236

Nuclear factor-κB activation in permanent intraluminal focal cerebral ischemia in the rat
H.V. Seegers, E. Grillon, Y. Trioullier, A. Väth, J.-M. Verna, D. Blum (France, USA, Germany, Belgium) 241

Hippocampal and striatal [^{3}H]5-HT reuptake under acute stressors in two rat strains differing for their emotivity
C. Martin, M. Duclos, P. Mormède, G. Manier, F. Chaouloff (France) 246

Author Index to Volume 288 249
Contents to Volume 288 253